



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignina 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/251,988	02/17/1999	BRIAN SÄMUEL BEAMAN	Y0998-088	3930
7.	590 07/10/2003			
IBM CORPORATION INTELLECTUAL PROPERTY LAW DEPT P O BOX 218			EXAMINER	
			HOLLINGTON, JERMELE M	
YORKTOWN	YORKTOWN HEIGHTS, NY 10598 ART UNIT			PAPER NUMBER
			2829	
			DATE MAILED: 07/10/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

			IXY /			
		Applicati n No.	Applicant(s)			
Office Action Summary		09/251,988	BEAMAN ET AL.			
		Examiner	Art Unit			
		Jermele M. Hollington	2829			
Period f	The MAILING DATE of this communication appe	ars on the cover she t with the co	rrespondence address			
A SHI THE I Exter after If the If NO Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	36 (a). In no event, however, may a reply be tired within the statutory minimum of thirty (30) day rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	mely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
1)🖂	Responsive to communication(s) filed on 11 A	April 2003 .				
2a)	This action is FINAL . 2b)⊠ This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
4)⊠ Claim(s) <u>1-27 and 41-54</u> is/are pending in the application.						
	4a) Of the above claim(s) <u>55-57</u> is/are withdraw	n from consideration.	•			
5)	Claim(s) is/are allowed.					
6)⊠	Claim(s) <u>1-27 and 41-54</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)	Claims are subject to restriction and/or	election requirement.				
Applicati	on Papers					
9)	The specification is objected to by the Examine	er.				
10)						
11)	11) The proposed drawing correction filed on is: a) approved b) disapproved.					
12)	12) The oath or declaration is objected to by the Examiner.					
Pri rity (ınder 35 U.S.C. § 119					
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).						
/—	☐ All b)☐ Some * c)☐ None of:					
ĺ	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the prior application from the International Bu	reau (PCT Rule 17.2(a)).	·			
* See the attached detailed Office action for a list of the certified copies not received. 14) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. & 119(e).						
14)	Acknowledgement is made of a claim for dome	sale priority under 55 U.S.C. & 1	10(0).			
Attachmen	it(s)					
15) Not	ice of References Cited (PTO-892) ice of Draftsperson's Patent Drawing Review (PTO-948) primation Disclosure Statement(s) (PTO-1449) Paper No(s)	19) Notice of Informa	ary (PTO-413) Paper No(s) Il Patent Application (PTO-152)			

Application/Control Number: 09/251,988 Page 2

Art Unit: 2829

DETAILED ACTION

Election/Restrictions

1. Claims 28-40 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected Group, there being no allowable generic or linking claim. Election was made without traverse in Paper No. 6 filed on Nov. 29, 2000.

2. Newly submitted claims 55-57 directed to an invention that is independent or distinct from the invention originally claimed for the following reasons: the invention of claims 55-57 is a subcombination of the original claim invention, which the original claimed invention does not require the particulars of the inventions of claims 55-57.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 55-57 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

Claim Objections

3. Applicants are advised that should claim 48 be found allowable, claim50 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or

Art Unit: 2829

improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

5. Claims 1-27 and 41-47 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-27, 41-47 and 52 of copending Application No. 10/145,661. Although the conflicting claims are not identical, they are not patentably distinct from each other because it would obvious to one of ordinary skill in the art to have the elongated electrical conductors of the copending application to be compliant and having end at a non-orthogonal angle.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

7. Claims 1-27 and 41-52 and 54 are rejected under 35 U.S.C. 102(e) as being anticipated by Beaman et al (5371654).

Regarding claims 1 and 41, Beaman et al discloses [see fig. 6] an interconnection package comprising a substrate (94) having a surface (102) [see column 6 line 44], a plurality of compliant elongated electrical conductors (84) [see column 6 lines 28-31 and line 60] extending away from the surface (102) wherein the conductors (84) having a first end (represented as contact end 90) affixed to the surface (102) and a second end (represented as contact end 92) projecting away from said surface (102), there being a plurality of said second ends (92) and a means (represented as connection means 80) [see column 6 lines 59-66] for positioning and maintaining said plurality of second ends (92) in substantially fixed positions.

Art Unit: 2829

Regarding claim 2, the first end (90) is affixed to said surface (102) at an electrical contact location (104) [see column 6 lines 42-43].

Regarding claim 3, the means (80) for positioning and maintaining is a plurality of sheets of material each inherently having a plurality of opening [not shown] therein through which said second ends (92) project.

Regarding claim 4, the second end (92) is inherently a structure selected from the group consisting of a proturberance and a sharp spike [see column 11 lines 47-56].

Regarding claim 5, the plurality of sheets (80) is formed from a material selected from the group consisting of a rigid material and a compliant [see column 6 lines 58-66].

Regarding claim 6, the sheets (80) inherently comprise a plurality of openings [not shown], said elongated electrical conductors (84) are disposed against the sides (86 and 88) [see fig. 5] or said openings [not shown] of at least two of said sheets.

Regarding claim 7, the sheets (80) are spaced apart from said surface (102) by a flexible support (82).

Regarding claim 8, the flexible support (82) is selected from the group consisting of a spring and an elastomeric material [see column 6 lines 41-43].

Regarding claim 9, the elongated electrical conductors (84) inherently have a shape selected from the group consisting of linear, piece wise linear, curved and combinations thereof [see column 11 lines 52-56].

Regarding claim 10, the sheet (80) and the flexible support (82) forms a space containing the plurality of elongated electrical conductors (84) [see fig. 6 and column 6 lines 28-31].

Art Unit: 2829

Regarding claim 11, the space is filled with a flexible material [via elastomeric material 82].

Regarding claim 12, the flexible material is an elastomeric material (82) [see column 6 lines 29].

Regarding claim 13, the sheets (80) is a sheet of electrically conductive material which inherently has a top surface (not number) and a bottom surface (not number) and said openings (not number) have side walls (86 and 88), a dielectric material inherently coats said top surface (not number) and said bottom surface (not number) and said side wall (86 and 88).

Regarding claims 14-15, the plurality of elongated electrical conductors (84) is distributed into plurality of groups that are arranged in an array [see figs. 6-8].

Regarding claim 16, the structure is a probe for an electronic device [see Abstract].

Regarding claims 17-19, the electronic device is selected from the group consisting on an integrated circuit chip [not shown but see column 1 lines 64-66] on a packaging substrate (94) containing a wafer (not number).

Regarding claim 20, the structure has means (80) for holding and moving the structure and means (94) for applying electrical signals to the elongated electrical conductors (84).

Regarding claim 21, the protuberance is sphere like [see column 11 lines 47-56].

Regarding claims 22-27 and 47, the means (80) for positioning and maintaining is a plurality of sheets of material each inherently having a plurality of opening (not number) therein through which said second ends (92) project, the plurality of sheets (80) are formed from a material selected from the group consisting of a rigid material and a compliant [see column 6 lines 58-66 and column 11 lines 52-56], the sheets (80) are a sheet of electrically conductive

Art Unit: 2829

material which inherently has a top surface (not number) and a bottom surface (not number) and said openings (not number) have a side wall (86 and 88), a dielectric material inherently coats said top surface (not number) and said bottom surface (not number) and said side wall (86 and 88), the sheet (80) and the flexible support (82) forms a space containing the plurality of elongated electrical conductors (84) [see column 6 lines 28-31].

Regarding claims 42-43, the sheet (80) is inherently formed and material selected from the groups consisting of Invar, Cu/Invar/Cu, molybdenum and polymides [see column 3 and column 11 lines 52-56].

Regarding claim 44, the dielectric material is selected from the group consisting of a ceramic and a glass [see column 3 lines 26-28 and column 11 lines 52-56].

Regarding claims 45-46, the elongated conductor (84) is coated with a hard coat that is from a group consisting of materials as claimed (see column 3 lines 43-47).

Regarding claims 48 and 50, the compliant elongated electrical conductor (84) is shaped to compliantly respond when the compliant elongated conductors (84) are pressed against and withdraw from a surface, which the second ends (92) are pressed [see col. 6 lines 47-51].

Regarding claims 49 and 51, the means for maintaining (80) comprises a sheet of material

Regarding claim 52, Beaman et al discloses [see fig. 6] an interconnection package comprising a substrate (94) having a surface (102) [see column 6 line 44], a plurality of elongated electrical conductors (84) [see column 6 lines 28-31 and line 60] extending away from the surface (102) wherein the conductors (84) having a first end (represented as contact end 90) affixed to the surface (102) and a second end (represented as contact end 92) projecting away

Art Unit: 2829

from said surface (102), the second end (92) is at a non-orthogonal angle with respect to the surface (105) [see col. 6, lines 47-51], there being a plurality of said second ends (92) and a means (represented as connection means 80) [see column 6 lines 59-66] for positioning and maintaining said plurality of second ends (92) in substantially fixed positions.

Regarding claim 54, Beaman et al disclose [see Fig. 5] the elongated electrical conductor (84) comprises a bend.

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 10. Claim 53 is rejected under 35 U.S.C. 103(a) as being unpatentable over Beaman et al (5371654).

Art Unit: 2829

Regarding claim 53, Beaman et al disclose conductors (84) having a first end (represented as contact end 90) and a second end (represented as contact end 92 wherein the second end (92) is at a non-orthogonal angle with respect to the surface (105) [see col. 6, lines 47-51]. However, Beaman et al do not disclose the non-orthogonal angle of the second end being between 5-60 degrees. It is well known to make the non-orthogonal angle of the second end at different degrees where needed through routine experimentation (see MPEP 2144.05; *In re Aller*, 220 F.2d 454, 456, 105 USPQ 233, 235(CCPA 1955)). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the non-orthogonal angle of the second end of Beaman et al at different degrees since the different degrees would provide support in a selective manner to each individual user during testing.

Conclusion

11. Applicant's arguments with respect to claims 1-27 and 41-47 have been considered but are most in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermele M. Hollington whose telephone number is (703) 305-1653. The examiner can normally be reached on M-F (9:00-4:30) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamand Cuneo can be reached on (703) 308-1233. The fax telephone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7382 for After Final communications.

. Art Unit: 2829

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

JMH

June 23, 2003

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800